| | Length | Number of Date | | te | Percent |
|-------------------------------|--------|-------------------|-----------|------------------|-------------|
| Tributary | (km) | surveys | Start | End | of total a/ |
| Rush Creek | 2.4 | 8 | 10/29/9 1 | 12/12/91 | 100.0 |
| Grass Valley Creek | 0.8 | 8 | 10/22/91 | 12/22/91 | 100.0 |
| Indian Creek | 1.3 | 8 | 10/21/91 | 12/1 1/91 | 100.0 |
| Reading Creek | 0.5 | 8 | 10/21/91 | 12/11/91 | 100.0 |
| Browns Creek | 2.5 | 8 | 10/23/91 | 12/13/91 | 100.0 |
| Weaver Creek b/ | 1.8 | 3 | 11/21/91 | 12/13/91 | 100.0 |
| Canyon Creek | 2.2 | 8 | 10/21/91 | 12/11/91 | 66.1 |
| N. Fork Trinity R. | 1.5 | 8 | 10/23/91 | 12/10/91 | 78.0 |
| E. Fork of N. Fork Trinity R. | 1.3 | 8 | 10/21/91 | 12/10/91 | 69.0 |

TABLE 2. Trinity River tributaries surveyed in the 1991-92 spawner survey.

a/ Estimated percent of the total chinook spawning in that tributary that occurred in the survey section.

b/ The survey did not begin until 21 November in Weaver Creek because its stream bed was dry prior to that date.